

LOXX[®] USA

C.S. Osborne & Co.



**The ingenious fastening system:
Smart. Strong. Versatile.**



The applications are unlimited!

www.LoxxFastenersUSA.com

Upper Parts - Standard Product Range



With **small** (7/16" diameter) or **big** cap (5/8" diameter)
Clamping area holds material up to 3/16" thick.



With **smooth** cap (5/8" diameter) and
with ring (1" diameter)
Clamping area holds material up to 3/16" thick.



XL with longer thread and washer for heavier material up to 1/4" thick.



XXL (height 3/8")
- with long thread for material up to 3/8" thick - with short thread for material up to 3/16" thick



Our best!



Heavy Duty = more endurance, better handling!
A utility model available in all standard designs and plated finishes!

We also offer other standard designs and finishes according to your applications. Custom artwork and logos available upon request.



Lower Parts - Standard Product Range



For application attaching soft materials
(canvas, vinyl, leather)
Clamping area holds material up to 3/16" thick.



Oval plate for installation into hard surfaces
Standard plate (L = 1"), TBR-Plate (L = 1 3/8")



Round plate, stainless steel: for installation into hard surfaces and without drill holes for glueing.



Self-tapping screws. Available in standard sizes, and also special lengths and finishes upon request.



Standard screws in three sizes. Available in standard sizes, and also special lengths and finishes upon request.



Pipe clamps, stainless steel
Available in 3 standard dimensions: 1 1/8"; 1"; 1 3/16".



Windshield clip,
Available in 7/8" and 1".

Installation Tools

